## **ELEVATION CERTIFICATE**

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM ATTENTION: Use of this certificate does not provide a walver of the flood insurance purchase requirement. This form is used only to

provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to

O.M.B. No 3057 0077 Expires May 31, 1993

determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). instructions for completing this form can be found on the following pages. SECTION A PROPERTY INFORMATION FOR INSURANCE COMPANY USE BUILDING OWNER'S NAME POLICY NUMBER Luis & Michelle Alatorre STREET ADDRESS (Including Apt., Unit, Suite and/or Bidg, Number) OR P.O. ROUTE AND BOX NUMBER 7051 South Shore Drive COMPANY NAIC NUMBER OTHER DESCRIPTION (Let and Block Numbers, etc.) Lot 4, Block 3, PASADENA ISLE CITY STATE South Pasadena, ZIP CODE Florida 33707 SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION Provide the following from the proper FIRM (See Instructions): 1. COMMUNITY NUMBER 2 PANKL NUMBER a. SUFFIX 4. DATE OF FIRM INDEX 6. FIRM ZONE 6. BASE FLOOD ELEVATION (in AO Zones, use depth) 125151 0001 ď 11/1/84 A12 13 feet 7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): X NGVD 29 Other (describe on back) 8. For Zones A pr V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: L. [...] L. J. [ feet NGVD (or other FIRM datum-see Section 8, Item 7)] SECTION C BUILDING ELEVATION INFORMATION Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level
 Ca). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of 1 1 1 17 1 2 feet NGVD (or other FIRM datum-see Section B, Item 7). (b), FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram, is at an elevation of \_\_\_\_\_ feet NGVD (or other FIRM datum-see Section B, Item 7). (c). FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is [\_\_\_\_\_] feet above [\_] or below [...] (check one) the highest grade adjacent to the building. (d). FIRM Zone AO. The floor used as the reference level from the selected diagram is \_\_\_\_\_. \_\_ feet above \_\_\_ or below \_\_\_ (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance? 

Yes 
No 
Unknown 3. Indicate the elevation datum system used in determining the above reference level elevations: NGVD 29 ..... Other (describe under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM [see Section B, Item 7], then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.) 4. Elevation reference mark used appears on FIRM: \(\Bigcap\) Yes \(\Bigcap\) No (See Instructions on Page 4) 5. The reference level elevation is based on: 🔯 actual construction 🔲 construction drawings (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.) 6. The elevation of the lowest grade immediately adjacent to the building is: 1 1 16 . 1 feet NGVD (or other FIRM datum-see Section B, item 7). SECTION D COMMUNITY INFORMATION 1. If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is: | | | | | | | | | | | | | | | feet NGVD (or other FIRM datum—see Section B, Item 7). 2. Date of the start of construction or substantial improvement

FEMA Form 81-31, MAY 90

er og 2005. Svik sækker i Balis

REPLACES ALL PREVIOUS EDITIONS

SEE REVERSE SIDE FOR CONTINUATION